

Safety Data Sheet Connect 2.0 Lane Conditioner SDS Revision Date: 01/20/2022

1.	Identification

1.1. Product identifier	
Product Identity	Connect 2.0 Lane Conditioner
Alternate Names	62-860171-005
1.2. Relevant identified uses of the substance or mixt	ure and uses advised against
Intended use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	
Company Name	Brunswick Bowling Products, LLC. 525 W. Laketon Ave.
	Muskegon, MI 49441 USA
Emergency	
24 hour Emergency Telephone No.	CHEMTEL +1 813-248-0585
Customer Service: Brunswick Bowling Products, LLC.	231-725-4966

2. Hazard(s) identification

2.1. Classification of the substance or mixtureAsp. Tox. 1;H304 May be fatal if swallowed and enters airways.

2.2. Label elements



H304 May be fatal if swallowed and enters airways.

[Prevention]: P260 Do not breathe dust, fume, mist, vapors or spray. P262 Do not get in eyes, on skin, or on clothing. [Response]:
P301+310 IF SWALLOWED: Immediately call a POISON CENTER, doctor or physician.
P331 Do NOT induce vomiting.
P332+313 IF SKIN IRRITATION OCCURS: Get medical advice or attention.
[Storage]:
P405 Store locked up.
[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
White mineral oil (petroleum) CAS Number: 0008042-47-5	75 - 100	Not Classified	
Distillate (petroleum) hydrotreated heavy naphthenic CAS Number: 0064742-52-5	1 - 5	Asp. Tox. 1;H304	
Poly(oxy-1,2-ethanediyl), .alpha[3,5- dimethyl -1-(2- methylpropyl)hexyl]omega hydroxy- CAS Number: 0060878-78-6	1 - 5	Skin Irrit. 2;H315 Eye Irrit. 2;H319	
Hydrocarbon solvent CAS Number: 0064742-48-9	0.10 - 1.0	Asp. Tox. 1;H304 Flam. Liq. 3;H226	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
4.2. Most important symptoms and effects, both acute and delayed	
Overview	Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea,

	dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.
	Repeated or prolonged contact with the preparation may cause removal of natural fat from
	the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. Check section 2.2 (GHS Label Elements) for further details.
Inhalation	May be fatal if swallowed and enters airways.
Skin	Causes mild skin irritation. (Note: this GHS classification was not adopted by US OSHA).

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO2, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Do not breathe dust, fume, mist, vapors or spray.

Do not get in eyes, on skin, or on clothing.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No.

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.
Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:
7.2. Conditions for safe storage, including any incompatibilities
Incompatible materials: Strong oxidizing agents and acids.
Check section 2.2 (GHS Label Elements) for further details. - [Storage]:
7.3. Specific end use(s)
No available information

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure				
CAS No.	Ingredient	Source	Value	
0008042-47-5	White mineral oil (petroleum)	OSHA	No Established Limit	
		ACGIH	No Established Limit	
		NIOSH	No Established Limit	
		Supplier	No Established Limit	
0060878-78-6	Poly(oxy-1,2-ethanediyl), .alpha[3,5-	OSHA	No Established Limit	
			No Established Limit	
		NIOSH Supplier	No Established Limit	
		OSHA	No Established Limit	
0064742-48-9	Hydrocarbon solvent	ACGIH	No Established Limit	
		NIOSH	No Established Limit	
			No Established Limit	
		OSHA ACGIH	No Established Limit	
	Distillate (petroleum) hydrotreated heavy	NIOSH	No Established Limit	
		Supplier	No Established Limit	
		Supplier	No Established Limit	
			No Established Limit	

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

8.2. Exposure controls

Respiratory	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
Eyes	Protective safety glasses recommended
Skin	Avoid skin contact. Protective gloves recommended.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.
Check section 2.2 (GHS La	abel Elements) for further details [Prevention]:

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Light yellow Liquid
Odor	Fragrant
Odor threshold	No available information
pH	Not Measured
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	482 - 700 F
Flash Point	279 F
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	No available information
Upper/lower flammability or explosive limits Vapor pressure (Pa) Vapor Density Relative Density Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity (cSt) 9.2. Other information No other relevant information.	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured Not Measured Not Measured 0.863 g/cm3 No available information No available information Not Measured Not Measured <20.5 cps @ 40*C

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No available information

10.4. Conditions to avoid

Excessive heat and open flame.

^{10.5.} Incompatible materials Section 11. Toxicological information

Strong oxidizing agents and acids.

10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
White mineral oil (petroleum) - (8042-47-5)	> 5,000.00, Rat - Category: NA	No data available	No data available	No data available	No data available
Distillate (petroleum) hydrotreated heavy naphthenic - (64742-52-5)	> 5,000.00, Rat - Category: NA	No data available	No data available	5.70, Rat - Category: NA	No data available
Poly(oxy-1,2-ethanediyl), .alpha[3,5- dimethyl -1-(2- methylpropyl)hexyl]omega hydroxy (60878-78-6)	No data available	No data available	No data available	No data available	No data available
Hydrocarbon solvent - (64742-48-9)	> 5,000.00, Rat - Category: NA	>2,000.00, Rabbit - Category: 5	No data available	No data available	No data available

Carcinogen Data

CAS No.	Ingredient	Source	Value
0008042-47-5 White mineral oil (petroleum)		OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0060878-78-6	Poly(oxy-1,2-ethanediyl), .alpha	OSHA	Regulated Carcinogen: No
	[3,5- dimethyl -1-(2-	NTP	Known: No; Suspected: No
	methylpropyl)hexyl]omega hydroxy-	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0064742-48-9	Hydrocarbon solvent	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
			No Established Limit
		ACGIH	Regulated Carcinogen: No
0064742-52-5	Distillate (petroleum) hydrotreated heavy naphthenic	OSHA	Known: No; Suspected: No
		NTP	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group
		IARC	4: No;
			No Established Limit
		ACGIH	
Classification		Category	Hazard Description
Acute toxicity (oral)			Not Applicable

Acute toxicity (dermal)		Not Applicable Not Applicable Causes mild skin
Acute toxicity (inhalation)		irritation. (Note: this GHS
Skin corrosion/irritation	3	classification was not adopted by US OSHA).
		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		May be fatal if swallowed and enters airways.
Aspiration hazard	1	

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l		
White mineral oil (petroleum) - (8042-47-5)	101.00, Oncorhynchus mykiss	101.00, Daphnia magna	101.00 (72 hr), Pseudokirchneriella subcapitata		
	,				
Distillate (petroleum) hydrotreated heavy naphthenic - (64742-52-5)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00 (96 hr), Scenedesmus subspicatus		
Poly(oxy-1,2-ethanediyl), .alpha[3,5- dimethyl -1-(2- methylpropyl)hexyl]omega hydroxy (60878-78-6)	Not Available	Not Available	Not Available		
Hydrocarbon solvent - (64742-48-9)	18.00, Oncorhynchus mykiss	4.50, Daphnia magna	3.10 (72 hr), Pseudokirchneriella subcapitata		

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPSEctronal\$3. Disposal considerations

12.6. Other adverse effects

No available information

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information			
	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Regulated	Not Regulated Not	Not Regulated
14.2. UN proper shipping name	Not Regulated	Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable Sub Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable Sub Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental haza			
IMDG Mai	rine Pollutant: No;		
14.6. Special precautions for user			
No	available information		

Section 15. Regulatory information

Immediate (Acute): Yes Delayed (Chronic): No

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.	
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the T Inventory.	
US EPA Tier II Hazards	Fire: No	
	Sudden Release of Pressure: No	
	Reactive: No	

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Section 16. Other information

SDS Revision Date 01/20/2022

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders. The full text of the phrases appearing in section 3 is: H226 Flammable liquid and vapor. H304 May be fatal if

swallowed and enters airways. H315 Causes skin irritation. H316 Causes mild skin irritation. H319 Causes serious eye irritation.

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of

publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material in any process, unless specified in the text.

End of Document