

Section E


Setting Platform

SECTION REVISION DATE
JANUARY 2025

Index No.	Part No.	Package / Order Reference	Description
1.	55-089161-000		Rear Support Frame
2.	55-089162-000		Front Support Frame
3.	11-051019-001		Hex Head Cap Screw (M10 x 25)
4.	11-052028-001		Flat Washer (10.5 mm ID X 25 mm OD x 2 mm)
5.	11-052018-001		Flat Washer (10.5 mm ID X 20 mm OD x 2 mm)
6.	11-051745-001		Locknut (M10)
7.	11-051703-001		Hex Nut (M10)
8.	11-051771-015		Lock Washer (M10)
9.	55-080383-004		Rubber Bumper (50 mm x 20 mm x M10)
10.	55-082531-004		Square Washer
11.	11-052618-001		Carriage Bolt (M10 x 50 mm)
12.	55-089163-000		Setting Platform
13.	63-861185-000		Max Crown Graphic Glow, String USBC, Single Pin - Drilled
	63-861185-167		Max Crown Graphic Glow, String USBC, Set of 10 - Drilled
	63-861186-000		Max Red Crown Graphic, String USBC, Single Pin - Drilled
	63-861186-167		Max Red Crown Graphic, String USBC, Set of 10 - Drilled
14.	55-279119-009		Assembly - Pinsetter Lower Part
15.	55-279253-009		String Pulley - Setting Platform (For Gate)
	15a. 11-051028-001		Hex Head Cap Screw (M6 x 25 mm)
	15b. 11-052048-001		Flat Washer (6.4 mm ID X 16 mm OD x 1.62 mm), Pkg of 20
	*15c. 55-279206-000		String Pulley Holder - 320 mm
	15d. 11-051743-001		Locknut (M6)
	15e. 11-051023-000		Hex Head Cap Screw (M6 x 55 mm)
16.	11-089400-009		Pulley Assembly
	16a. 11-051855-001		External Retaining Ring (10 mm)
	16b. 55-082031-004		Shaft
	16c. 11-054300-000		Cotter Pin
	16d. 55-089400-000		String Pulley Housing
17.	55-030408-009		Pulley
	17a. 55-030408-004		Pulley - only
	17b. 55-078141-000		Bearing
18.	55-082085-009		Upper Centering Guide Housing Assembly (Complete) (For Installations without Pin Bushings)
	18a. 11-051743-001		Locknut (M6)
	18b. 11-052048-001		Flat Washer (6.4 mm ID X 16 mm OD x 1.62 mm), Pkg of 20
	18c. 55-082281-004		Pin Head Nut Plate
	18d. 55-082081-001		Upper Centering Guide Housing (For Installations without Pin Bushings)
	18e. 55-082280-004		Pin Head Mounting Plate
19.	55-088034-009		Pin Head Stop Assembly
	19a. 55-082606-004		Pin Head Stop
	19b. 55-082609-004		Pin Head Support
20.	11-051744-001		Locknut (M8)
21.	11-051770-001		Lock Washer (M8)
22.	55-082608-004		Square Washer
23.	11-052616-001		Carriage Bolt (M8 x 65 mm)
24.	55-088033-009		Lower Centering Guide Assembly
	24a. 55-082134-001		Lower Centering Guide
	24b. 55-082136-004		Centering Guide Ring
	24c. 55-082135-003		Centering Guide
25.	55-082270-009		Pulley Assembly
	25a. 55-082279-003		String Pulley Housing
26.	75-110012-001	75-110012-009	String (1m) - Black, Pkg. 50 Meter Roll

** String Pulley Holder - 320 mm replaces shorter versions of the pulley holder used on earlier pinsetters. Install this longer version as a direct replacement for prior versions.*

Boost Setting Platform Assembly (For Installations Without Pin Bushings) - Ten Pin




Boost Setting Platform Assembly (For Installations Without Pin Bushings) - Ten Pin

Index No.	Part No.	Package / Order Reference	Description
1.	55-089161-000		Rear Support Frame
2.	55-089162-000		Front Support Frame
3.	11-051019-001		Hex Head Cap Screw (M10 x 25)
4.	11-052028-001		Flat Washer (10.5 mm ID X 25 mm OD x 2 mm)
5.	11-052018-001		Flat Washer (10.5 mm ID X 20 mm OD x 2 mm)
6.	11-051745-001		Locknut (M10)
7.	11-051703-001		Hex Nut (M10)
8.	11-051771-015		Lock Washer (M10)
9.	55-080383-004		Rubber Bumper (50 mm x 20 mm x M10)
10.	55-082531-004		Square Washer
11.	11-052631-001		Carriage Bolt (M10 x 65 mm) (Installations with Pin Bushings)
12.	55-089163-000		Setting Platform
13.	63-861185-000		Max Crown Graphic Glow, String USBC, Single Pin - Drilled
	63-861185-167		Max Crown Graphic Glow, String USBC, Set of 10 - Drilled
	63-861186-000		Max Red Crown Graphic, String USBC, Single Pin - Drilled
	63-861186-167		Max Red Crown Graphic, String USBC, Set of 10 - Drilled
14.	55-279715-009		Assembly - Pinsetter Lower Part (Installations with Pin Bushings)
15.	55-279253-009		String Pulley - Setting Platform (For Gate)
	15a. 11-051028-001		Hex Head Cap Screw (M6 x 25 mm)
	15b. 11-052048-001		Flat Washer (6.4 mm ID X 16 mm OD x 1.62 mm), Pkg of 20
	*15c. 55-279206-000		String Pulley Holder - 320 mm
	15d. 11-051743-001		Locknut (M6)
	15e. 11-051023-000		Hex Head Cap Screw (M6 x 55 mm)
16.	11-089400-009		Pulley Assembly
	16a. 11-051855-001		External Retaining Ring (10 mm)
	16b. 55-082031-004		Shaft
	16c. 11-054300-000		Cotter Pin
	16d. 55-089400-000		String Pulley Housing
17.	55-030408-009		Pulley
	17a. 55-030408-004		Pulley - only
	17b. 55-078141-000		Bearing
18.	55-089714-009		Upper Centering Guide Housing Assembly (Complete) (For Installations with Pin Bushings)
	18a. 11-051743-001		Locknut (M6)
	18b. 11-052048-001		Flat Washer (6.4 mm ID X 16 mm OD x 1.62 mm), Pkg of 20
	18c. 55-082281-004		Pin Head Nut Plate
	18d. 55-089711-000		Upper Centering Guide Housing (For Installations with Pin Bushings)
	18e. 55-082280-004		Pin Head Mounting Plate
19.	55-088034-009		Pin Head Stop Assembly
	19a. 55-082606-004		Pin Head Stop
	19b. 55-082609-004		Pin Head Support
20.	11-051744-001		Locknut (M8)
21.	11-051770-001		Lock Washer (M8)
22.	55-082608-004		Square Washer
23.	11-052616-001		Carriage Bolt (M8 x 65 mm)
24.	55-088033-009		Lower Centering Guide Assembly
	24a. 55-082134-001		Lower Centering Guide
	24b. 55-082136-004		Centering Guide Ring
	24c. 55-082135-003		Centering Guide
25.	55-082270-009		Pulley Assembly
	25a. 55-082279-003		String Pulley Housing
26.	63-200022-000	63-861194-000	Pin Bushing, 2.93 mm Length (Refer to Index 18 and 18d), Pkg of 21
	63-200023-000	63-861195-000	Pin Bushing, 2.65 mm Length (Refer to Index 18 and 18d), Pkg of 21
27.	75-110012-001	75-110012-009	String (1m) - Black, Pkg. 50 Meter Roll
28.	55-279357-001		Spacer, Setting Platform (Installations with Pin Bushings)

** String Pulley Holder - 320 mm replaces shorter versions of the pulley holder used on earlier pinsetters. Install this longer version as a direct replacement for prior versions.*

Boost Setting Platform Assembly (For Installations With Pin Bushings) - Ten Pin



Boost Setting Platform Assembly (For Installations With Pin Bushings) - Ten Pin